

Product:

Access Tiles Collection

Creative Art For Your Floor™

interiors TM design by TILE™

Access Tile Collection

ACCESS ^{ID} ABN 63-119-144-115
 Access International Distributors Pty.Ltd.
 Appt 413/60 Siddeley Street Docklands VIC 3008
 Ph: +61 3 9614 8883 Fax: +61 3 9629 7329
www.access-interiorsbydesign.com.au




Tile Product: Ritz Plaza

ACCESS ^{ID}
 INTERIOR TILES BY DESIGN MARKETING FOLDERS

Tiles Folder Collection

Floor Art By Design



Premium
 Solution Dyed Nylon
 Products



Timeless Avenue



Timeless Newline



Ritz Plaza

Access Tiles Products

Product:

Access Tiles Collection

Access Tiles Products



Creative Art For Your Floor™



Access Tile Collection



Ritz Plaza Series

SD + BCF
Nylon



Timeless Avenue Series

SD + BCF
Nylon



Timeless Newline Series

SD + BCF
Nylon



Vika Series

SD + BCF
PP



Innovation Square Series

SD + BCF
PP



Hillside Series

SD + BCF
PP



Kimberley Rise Series

SD + BCF
PP



Metro Boulevard Series

SD + BCF
PP



Metro Living Series

SD + BCF
PP



Product:

Ritz Plaza Series SD - BCF Nylon

Ritz Plaza Creative Art For Your Floor™

TILE PRODUCT SPECIFICATION

Style Name: Ritz Plaza
Construction: Tufted High-Low Loop
Fibre Type: 100% NYLON BCF SDN
Pile Height: 3.0/4.5mm (±5%)
Gauge: 1/12
Primary Backing: Polyester spunbond fabric
Backing Material: PVC With Glass Fibre
Glue Down: Yes
Roberts Water Base Surface Contact Adhesive
Total Thickness: 6.5mm (±5%)
Colour Fastness To Crocking: Grey scale 4
Dimensional Stability: passed QB/T2755-2055
Flammability: passed ISO 9239-1
Anti Static Treated: Yes
Anti Soil Treated: Yes
Wear Rating: 15years
(Normal Traffic)
Size: 50cmx50cm
Packing: 24Pieces
Square Meters Per Carton: 6m²
***PVC cushion backing also available upon request**



RP2209 Light Grey



RP2219 Blue Grey



RP2298 Charcoal




RP2298 Charcoal



RP2014 Taupe

Recommended Installation diagrams:



Slight colour variation may occur from dye lot to dye lot

ACCESS ABN 63-119-144-115
 Access International Distributors Pty.Ltd.
 Appt 413/60 Siddeley Street Docklands VIC 3008
 Ph: +61 3 9614 8883 Fax: +61 3 9629 7329
www.access-interiorsbydesign.com.au



This product is tested to Australian standards and rated for:



Refer to product specifications for rating of Access Interiors Tiles



Product:

Timeless Avenue Series

SD - BCF
Nylon

Timeless Avenue



Creative Art For Your Floor™

TILE PRODUCT SPECIFICATION

Style Name:	Timeless Avenue
Construction:	Textured Loop
Fibre Type:	100% NYLON BCF SDN
Pile Height:	4.0mm (±5%)
Pile Low:	2.0mm (±5%)
Stitches Per 10cm:	42 (±5%)
Gauge:	1/12
Primary Backing:	Polyester spunbond fabric
Backing Material:	Fine Bitumen Cushion
Backing:	
Glue Down:	Yes
	Roberts Water Base Surface
	Contact Adhesive
Total Thickness:	6.0mm (±5%)
Colour Fastness To Crocking:	Grey scale 4
Dimensional Stability:	passed QB/T2755-2055
Flammability:	passed ISO 9239-1
Anti Static Treated:	Yes
Anti Soil Treated:	Yes
Wear Rating:	15years
(Normal Traffic)	
Size:	50x50cm
Packing:	20/Pieces
Square Meters Per Carton:	5m²

***PVC cushion backing also available upon request**



TA12144 Dusk




TA12159 Dawn



TA121699 Midnight

Recommended Installation diagrams:



Slight colour variation may occur
from dye lot to dye lot

ACCESS ABN 63-119-144-115
Access International Distributors Pty. Ltd.
Aptt 413/60 Siddeley Street Docklands VIC 3008
Ph: +61 3 9614 8883 Fax: +61 3 9629 7329
www.access-interiorsbydesign.com.au



This product is tested to Australian standards and rated for:



Refer to product specifications for rating of Access Interiors Tiles



Product:

Timeless Newline Series

SD - BCF
Nylon

Timeless Newline **Creative Art For Your Floor™**


TILE PRODUCT SPECIFICATION

Style Name:	Timeless Newline
Construction:	Textured Loop
Fibre Type:	100% NYLON BCF SDN
Pile Height:	4.5mm (±5%)
Pile Low:	3.0mm (±5%)
Stitches Per 10cm:	37 (±5%)
Gauge:	1/12
Primary Backing:	Polyester spunbond fabric
Backing Material:	PVC With Glass Fibre
Glue Down:	Yes
	Roberts Water Base Surface
	Contact Adhesive
Total Thickness:	6.5mm (±5%)
Colour Fastness To Crocking:	Grey scale 4
Dimensional Stability:	passed QB/T2755-2055
Flammability:	passed ISO 9239-1
Anti Static Treated:	Yes
Anti Soil Treated:	Yes
Wear Rating:	15years
(Normal Traffic)	
Size:	50x50cm
Packing:	20/Pieces
Square Meters Per Carton:	5m ²

***PVC cushion backing also available upon request**



TNL9990 Panther



TNL9720 Sterling




TNL9975 Platinum



TNL9990 Panther + TNL9720 Sterling



Recommended Installation diagrams:



Slight colour variation may occur from dye lot to dye lot

ACCESS ABN 63-119-144-115
Access International Distributors Pty.Ltd.
Appt 413/60 Siddeley Street Docklands VIC 3008
Ph: +61 3 9614 8883 Fax: +61 3 9629 7329
www.access-interiorsbydesign.com.au



This product is tested to Australian standards and rated for:



Refer to product specifications for rating of Access Interiors Tiles



Home Page

Product:

Vika Series

SD - BCF
PP

Vika

Creative Art For Your Floor™

TILE PRODUCT SPECIFICATION

Style Name:	Vika
Construction:	Multi Level Loop
Fibre Type:	100% PP BCF SD
Gauge:	1/12
Primary Backing:	Polyester spunbond fabric
Pile Height High Pile mm ± 5%:	4.5mm
Pile Height Low Pile mm ± 5%:	3.0mm
Stitches Per 10 cm ± 5%:	39
Total Thickness:	6.0mm
Glue Down:	Yes
	Roberts Water Base Surface Contact Adhesive
Backing Material:	PVC With Glass Fibre
Colour Fastness To Crocking:	Grey scale 4
Dimensional Stability:	passed QB/T2755-2055
Flammability:	passed ISO 9239-1
Stain Resistant:	Yes
	To water based stain

Wear Rating:	10years
(Normal Traffic)	
Size:	50x50cm
Packing No Tiles In Carton:	24/pieces
Square Meters Per Carton:	6m²

*PVC cushion backing also available upon request



YK225N19 Silver Grey+YK225N24 Taupe



YK225N19 Silver Grey



YK225N24 Taupe



YK225N34 Blackwood




YK225N19 Silver Grey+YK225N24 Taupe+
YK225N34 Blackwood+YK225N49 Storm Grey



YK225N49 Storm Grey

Recommended Installation diagrams:



Slight colour variation may occur from dye lot to dye lot

ACCESS
ID
ABN 63-119-144-115
Access International Distributors Pty.Ltd.
Appt 413/60 Siddeley Street Docklands VIC 3008
Ph: +61 3 9614 8883 Fax: +61 3 9629 7329
www.access-interiorsbydesign.com.au



This product is tested to Australian standards and rated for:



Refer to product specifications for rating of Access Interiors Tiles



Product:

Innovation Square Series

SD - BCF
PP

Innovation Square



Creative Art For Your Floor™

TILE PRODUCT SPECIFICATION

Title Name:	Innovation Square
Construction:	Multi Level Loop
Fibre Type:	100% PP BCF SD
Pile Height:	2.0/3.5mm (±5%)
Gauge:	1/10
Primary Backing:	Polyester Spunbond Fabric
Backing Material:	Fine Bitumen
Glue Down:	Yes
	Roberts Water Base Surface Contact Adhesive
Total Thickness:	5mm (±5%)
Colour Fastness To Crocking:	Grey scale 4
Dimensional Stability:	passed QB/T2755-2055
Flammability:	passed ISO 9239-1
Stain Resistant:	Yes
	To water based
stain	
Wear Rating:	10years
(Normal Traffic)	
Size:	50x50cm
Packing:	24 Pieces
Square Meters Per Carton:	6m ²
*PVC cushion backing also available upon request	



IN2211 Beige



IN2214 Taupe




IN2219 Blue Grey



IN2299 Charcoal

Recommended Installation diagrams:



Slight colour variation may occur from dye lot to dye lot

ACCESS ABN 63-119-144-115
Access International Distributors Pty.Ltd.
Appt 413/60 Siddeley Street Docklands VIC 3008
Ph: +61 3 9614 8883 Fax: +61 3 9629 7329
www.access-interiorsbydesign.com.au



This product is tested to Australian standards and rated for:



Refer to product specifications for rating of Access Interiors Tiles

Product:

Hillside Series

SD - BCF
PP

Hillside Series



Creative Art For Your Floor™

TILE PRODUCT SPECIFICATION

Style Name:	Hillside
Construction:	Tufted Level Loop
Fibre Type:	100% PP BCF SD
Gauge:	1/10
Primary Backing:	Polyester spunbond fabric
Pile Height High Pile mm ± 5%:	3.5mm
Pile Height Low Pile mm ± 5%:	N/A
Stitches Per 10 cm ± 5%:	42
Total Thickness:	5.0mm
Glue Down:	Yes
	Roberts Water Base Surface
	Contact Adhesive
Backing Material:	PVC With Glass Fibre
Colour Fastness To Crocking:	Grey scale 4
Dimensional Stability:	passed QB/T2755-2055
Flammability:	passed ISO 9239-1
Stain Resistant:	Yes
	T o w a t e r b a s e d
stain	
Wear Rating:	7years
Size:	50x50cm
Packing:	28Pieces
Square Meters Per Carton:	7m²
*PVC cushion backing also available upon request	



HS21911 Taupe



HS21919 Silver Grey




HS21999 Charcoal



HS21999 Charcoal

Recommended Installation diagrams:



Slight colour variation may occur from dye lot to dye lot

ACCESS ID
ABN 63-119-144-115
Access International Distributors Pty.Ltd.
Appt 413/60 Siddeley Street Docklands VIC 3008
Ph: +61 3 9614 8883 Fax: +61 3 9629 7329
www.access-interiorsbydesign.com.au



Refer to product specifications for rating of Access Interiors Tiles

Product:

Kimberley Rise Series

SD - BCF
PP

Kimberley Rise Series



Creative Art For Your Floor™

TILE PRODUCT SPECIFICATION

Style Name:	Kimberley Rise
Construction:	Tufted Level Loop
Fibre Type:	100% PP BCF SD
Gauge:	1/10
Primary Backing:	Polyester spunbond fabric
Pile Height High Pile mm ± 5%:	3.5mm
Pile Height Low Pile mm ± 5%:	N/A
Stitches Per 10 cm ± 5%:	42
Total Thickness:	5.0mm
Glue Down:	Yes
	Roberts Water Base Surface Contact Adhesive
Backing Material:	PVC With Glass Fibre
Colour Fastness To Crocking:	Grey scale 4
Dimensional Stability:	passed QB/T2755-2055
Flammability:	passed ISO 9239-1
Stain Resistant:	Yes
	To water based stain
Wear Rating:	7years
(Normal Traffic)	
Size:	50x50cm
Packing:	28Pieces
Square Meters Per Carton:	7m²

***PVC cushion backing also available upon request**



KR219I1A Taupe




KR219I3A Silver Grey



KR219I5A Charcoal

Recommended Installation diagrams:



Slight colour variation may occur from dye lot to dye lot

ACCESS ABN 63-119-144-115
Access International Distributors Pty.Ltd.
Appt 413/60 Siddeley Street Docklands VIC 3008
Ph: +61 3 9614 8883 Fax: +61 3 9629 7329
www.access-interiorsbydesign.com.au



This product is tested to Australian standards and rated for:



Refer to product specifications for rating of Access Interiors Tiles



Product:

Metro Boulevard Series

SD - BCF
PP

Metro Boulevard Series




Creative Art For Your Floor™

TILE PRODUCT SPECIFICATION

Style Name:	Metro Boulevard
Construction:	Tufted Level Loop
Fibre Type:	100% PP BCF SD
Pile Height:	3.0mm(±5%)
Gauge:	1/10
Primary Backing:	Polyester Spunbond Fabric
Backing Material:	Fine Bitumen
Glue Down:	Yes
	Roberts Water Base Surface Contact Adhesive
Total Thickness:	5mm(±5%)
Colour Fastness To Crocking:	Grey scale 4
Dimensional Stability:	passed QB/T2755-2055
Flammability:	passed ISO 9239-1
Stain Resistant:	Yes
	T o w a t e r b a s e d
stain	
Wear Rating:	7years
(Normal Traffic)	
Packing:	32Pieces
Square Meters Per Carton:	8m²




MB31W02 Silver Grey



MB31W03 Charcoal



Recommended Installation diagrams:



Slight colour variation may occur from dye lot to dye lot

ACCESS ABN 63-119-144-115
Access International Distributors Pty.Ltd.
Appt 413/60 Sideley Street Docklands VIC 3008
Ph: +61 3 9614 8883 Fax: +61 3 9629 7329
www.access-interiorsbydesign.com.au



This product is tested to Australian standards and rated for:



Refer to product specifications for rating of Access Interiors Tiles



Product:

Metro Living Series

SD - BCF
PP

Metro Living Series



Creative Art For Your Floor™

TILE PRODUCT SPECIFICATION

Style Name:	Metro Living
Construction:	Tufted Level Loop
Face Fibre:	100% PP BCF SD
Pile Height:	3.0mm(±5%)
Gauge:	1/10
Primart Backing:	Polyester Spunbond
Fabric	
Backing Material:	Fine Bitumen
Glue Down:	Yes
Surface	Roberts Water Base
Total Thickness:	Contact Adhesive
Colour Fastness To Crocking:	5mm(±5%)
Dimensional Stability:	Grey scale 4
Flammability:	passed QB/T2755-2055
Stain Resistant:	passed ISO 9239-1
	Yes
	To water based
stain	
Wear Rating:	7years
(Normal Traffic)	
Packing:	32pieces
Square Meters Per Carton:	8m²



ML30V01 Silver Grey+ML30V02 Ash Grey+
ML30V03 Storm Grey+ML30V04 Charcoal+ML30V10 Teal



ML30V01 Silver Grey



ML30V02 Ash Grey



ML30V03 Storm Grey




ML30V04 Charcoal



ML30V10 Teal

Recommended Installation diagrams:



Slight colour variation may occur from dye lot to dye lot

ACCESS ABN 63-119-144-115
Access International Distributors Pty.Ltd.
Appt 413/60 Siddeley Street Docklands VIC 3008
Ph: +61 3 9614 8883 Fax: +61 3 9629 7329
www.access-interiorsbydesign.com.au



This product is tested to Australian standards and rated for:



Refer to product specifications for rating of Access Interiors Tiles